Pakistan Journal of Neurological Sciences (PJNS)

Volume 21 | Issue 1 Article 9

6-2026

Brain death and end-of-life decision making: An Islamic perspective

Safa Younis
Aga Khan University, Karachi

Mohammad Wasay
.Aga Khan University, Karachi

Abdurrahman Husain
Baylor University Medical Center, Dallas, Texas

Rafaqat Rashid
Al Balagh Academy, United Kingdom

Follow this and additional works at: https://ecommons.aku.edu/pjns

 Part of the Neurology Commons

Recommended Citation

Younis, Safa; Wasay, Mohammad; Husain, Abdurrahman; and Rashid, Rafaqat (2026) "Brain death and end-of-life decision making: An Islamic perspective," *Pakistan Journal of Neurological Sciences (PJNS)*: Vol. 21: Iss. 1, Article 9.
DOI: 10.56310/pjns.v21i01.449
Available at: https://ecommons.aku.edu/pjns/vol21/iss1/9

https://doi.org/10.56310/pjns.v21i01.449

BRAIN DEATH AND END-OF-LIFE DECISION MAKING: AN ISLAMIC PERSPECTIVE

Safa Younis[1], Mohammad Wasay[1], Abdurrahman Husain[2], Rafaqat Rashid[3]
[1.]Aga Khan University, Karachi
[2.]Baylor University Medical Center, Dallas, Texas
[3.]Al Balagh Academy, United Kingdom

Correspondence:* Mohammad Wasay** *Aga Khan University, Karachi* ***Email: *Mohammad.wasay@aku.edu*

INTRODUCTION

The determination of death remains one of the most challenging questions at the intersection of critical care medicine and Islamic jurisprudence. Advances in life-sustaining technologies have transformed end-of-life care, enabling cardiopulmonary function to be maintained despite the irreversible loss of all brain function. While modern medicine widely accepts neurological criteria for determining death, their legal and ethical implications remain debated within Islamic law.

Islam regards life as a sacred trust from God and affirms that death occurs only by divine decree. At the same time, classical Islamic jurisprudence has long relied on observable physical signs to determine death for legal and religious purposes. The emergence of brain death therefore raises a central jurisprudential question: does the irreversible cessation of all brain function constitute legal death (*al-mawt*)? Contemporary Muslim scholars have reached differing conclusions, reflecting alternative interpretations of classical legal principles rather than disagreement over the sanctity of human life.

This editorial examines the theological foundations, classical jurisprudential concepts, and contemporary Islamic legal perspectives on brain death and end-of-life care. It explores why Muslim scholars have reached different conclusions regarding brain death and how these differences shape end-of-life decision-making.

KEY CONCEPTS

Several concepts are fundamental to understanding Islamic perspectives on brain death and end-of-life care. Although often used interchangeably in clinical practice, these terms carry distinct medical, ethical, and legal implications within Islamic bioethics. Essentially, end-of-life care encompasses the medical, psychological, social, and spiritual care of patients with life-limiting illness, emphasizing symptom relief, dignity, and care aligned with the patient's values.[1] Within Islamic ethics, it also includes religious obligations, family involvement, and preparation for death.[2]

Brain death is defined as the irreversible cessation of all functions of the entire brain, including the brainstem, and is distinguished from circulatory death, which is determined by the irreversible cessation of cardiopulmonary function.[3] Although neurological criteria are widely accepted in contemporary medicine, whether they constitute legal death remains contested among Muslim jurists.[4]

Medical futility, or non-beneficial treatment, refers to interventions that no longer offer a realistic prospect of achieving their intended therapeutic goals. Guided by the legal maxim *lā darar wa lā dirār* ("there shall be neither harm nor reciprocating harm"), Islamic law distinguishes between intentionally causing death—which remains prohibited—and allowing death to occur naturally by withholding or withdrawing interventions that no longer provide meaningful benefit. [2,4]

These questions have become increasingly important as advances in life-sustaining technologies have transformed the dying process, enabling biological functions to be maintained despite irreversible neurological injury.[5,6] Islamic bioethics addresses these challenges by integrating contemporary medical knowledge with the principles of the *Sharīʿah* and classical Islamic jurisprudence (fiqh), providing a framework for ethically and religiously informed clinical decision-making.[2,4]

THEOLOGICAL FOUNDATIONS: SANCTITY OF LIFE AND DIVINE DECREE

Islamic perspectives on brain death and end-of-life care are rooted in the belief that human life is sacred and that its beginning and end ultimately remain within the will of God. The *Qurʾan* states, "No soul can ever die except by Allah's permission at an appointed term" (*Qurʾan* 3:145), affirming that death ultimately occurs according to divine decree *(qadar)*.[2,4] Consequently, preserving life is a central objective of Islamic ethics, while recognizing that medicine itself does not possess ultimate authority over life and death.

This theological framework also shapes Islamic approaches to end-of-life care. Although seeking medical treatment is generally encouraged, Islamic ethics distinguishes between preserving life and prolonging the dying process through interventions that no longer offer meaningful therapeutic benefit. Accordingly, withholding or withdrawing medically futile treatment is distinguished from intentionally causing death, which remains prohibited.[2,4]

Islam has no single centralized religious authority to resolve contemporary bioethical questions. Rather, qualified scholars employ *ijtihād* (independent legal reasoning), drawing upon the *Qur'an*, the *Sunnah,* established principles of Islamic jurisprudence (*fiqh*), and contemporary medical knowledge to issue legal opinions (*fatāwā*).[4] This explains why Muslim scholars may reach different conclusions regarding modern medical questions while remaining within the broader framework of Islamic law. Understanding these contemporary debates requires first examining how classical Islamic jurisprudence understood life, dying, and death.

CLASSICAL ISLAMIC CONCEPTIONS OF LIFE AND DEATH

Although classical Muslim jurists did not address brain death as a medical diagnosis, they developed legal principles for determining death that continue to inform contemporary Islamic bioethics. Death was understood as the departure of the soul (r*ūḥ*) from the body, a metaphysical event known only to God. Because the soul itself cannot be directly observed, legal determinations of death were based upon outward physical signs (*ʿalāmāt* al-mawt) that indicated death had occurred according to the medical knowledge of the time, rather than upon direct knowledge of the soul's departure.[7]

Classical Islamic jurisprudence also distinguished between stable life (*ḥayāt mustaqirrah*) and unstable life (*ḥayāt ghayr mustaqirrah*), concepts that have regained importance in contemporary discussions of brain death and end-of-life care.[8–10] While *ḥayā*t mustaqirrah denotes a person possessing full legal status and meaningful physiological life, *ḥayā*t ghayr mustaqirrah refers to a terminal condition in which signs of life persist despite an irreversible progression toward death. Contemporary scholars have revisited these classical categories when evaluating catastrophic neurological injury, the permissibility of withdrawing life-sustaining treatment, and the legal implications of organ procurement, although disagreement remains regarding their application to patients diagnosed with brain death.[7–10]

These classical legal concepts provide the framework through which contemporary Muslim jurists evaluate neurological criteria for death. The central question is not whether the soul has departed—an event that remains beyond human observation—but whether irreversible cessation of all brain function constitutes a sufficiently reliable legal sign that death has occurred. Contemporary disagreements therefore arise not from differing views regarding the sanctity of life, but from differing interpretations of how classical Islamic jurisprudence should be applied to modern medical evidence.[4,7–10]

CONTEMPORARY ISLAMIC PERSPECTIVES ON BRAIN DEATH

Applying classical Islamic legal principles to modern neurological criteria has produced diverse scholarly opinions regarding brain death. While Muslim scholars agree that death ultimately consists in the departure of the soul (*rūḥ*), they disagree over whether the irreversible cessation of all brain function provides sufficient legal evidence that death has occurred. Contemporary Islamic scholarship is therefore best understood as comprising three principal positions rather than a single consensus.[4,7,8]

Brain Death Constitutes Legal Death

The first position holds that irreversible cessation of all brain function constitutes legal death. Supporters of this argue that classical jurists relied upon observable signs of death rather than direct knowledge of the soul's departure; modern neurological testing therefore represents a contemporary means of identifying the same legal reality.[4,7] This position has been adopted by several influential Islamic institutions, including the International Islamic Fiqh Academy of the Organization of Islamic Cooperation (IIFA-OIC), whose 1986 resolution recognized irreversible cessation of all brain function as a legally valid criterion for death alongside irreversible cardiopulmonary arrest. Although these institutional resolutions have significantly influenced medical practice and legislation in several Muslim-majority countries, they do not represent unanimous agreement among Muslim scholars.[4,8]

Under this view, withdrawal of life-sustaining treatment following the determination of brain death is permissible, and organ procurement from deceased donors is generally considered acceptable provided other Islamic ethical and legal requirements are fulfilled.[4,7]

Brain Death Does Not Constitute Legal Death but May Permit Withdrawal of Futile Treatment

A second position distinguishes between the legal determination of death and the permissibility of discontinuing futile medical treatment. Scholars adopting this view maintain that brain death does not itself constitute legal death because some integrated biological functions persist despite irreversible neurological injury.[4,8–10] However, drawing upon the classical distinction between *ḥayāt mustaqirrah* and *ḥayāt ghayr mustaqirrah,* they argue that patients diagnosed with brain death may occupy an irreversible terminal condition in which continued life-sustaining treatment is no longer medically beneficial.[8–10] Mechanical ventilation may therefore be withdrawn because it prolongs the dying process rather than restores meaningful life, while legal death is understood to occur only after irreversible cardiopulmonary arrest.[2,8–10]

Because brain death is not considered legal death under this interpretation, opinions regarding organ procurement remain considerably more restrictive and continue to be debated.[8–10]

Brain Death Does Not Constitute Legal Death Under Any Circumstances

A third position rejects neurological criteria altogether and posits that legal death occurs only after the irreversible cessation of cardiopulmonary function. Proponents argue that patients diagnosed with brain death retain important biological signs of life and therefore remain legally alive. From this perspective, withdrawing life-sustaining treatment before cardiopulmonary death risks causing death rather than allowing it to occur naturally, and organ procurement before traditional death is generally regarded as impermissible.[4]

These differing positions reflect contrasting interpretations of how classical Islamic jurisprudence should be applied to modern medical evidence rather than disagreement over the sanctity of life itself. Ongoing dialogue between clinicians, ethicists, and Islamic jurists therefore remains essential as advances in critical care continue to reshape the medical determination of death.

CLINICAL IMPLICATIONS FOR END-OF-LIFE CARE

Differences in Islamic legal opinions regarding brain death have important implications for clinical decision-making at the end of life. Because Muslim patients and families may follow different juristic authorities, clinicians should avoid assuming that a diagnosis of brain death will be understood uniformly by all Muslim patients or automatically accepted as equivalent to legal death.[4,7,8]

When continued treatment no longer offers a reasonable prospect of recovery, many contemporary Muslim scholars permit withholding or withdrawing interventions that are considered medically futile. This distinction rests on the principle that allowing an irreversible illness to take its natural course differs ethically and legally from intentionally causing death.[2] Consequently, withdrawal of mechanical ventilation, dialysis, vasopressor support, or other life-sustaining therapies may be permissible when treatment no longer provides meaningful therapeutic benefit, although the timing and justification for doing so differ among juristic positions.[2,4,7–10]

Advance care planning can help ensure that medical decisions remain consistent with a patient's religious values. Advance directives allow individuals to communicate their preferences regarding life-sustaining treatment before they lose decision-making capacity and may reduce uncertainty for families and healthcare providers. Discussions should ideally involve patients, family members, treating clinicians, and, when appropriate, knowledgeable Islamic scholars to facilitate decisions that are both medically and religiously informed.[2]

Organ donation remains one of the most ethically contested consequences of the brain death debate. Scholars who recognize neurological criteria as legal death generally permit organ procurement after brain death, provided Islamic ethical and legal conditions are met.[4,7,11] By contrast, scholars who do not regard brain death as legal death generally oppose organ procurement before irreversible cardiopulmonary arrest because they consider the donor to remain legally alive.[4,8–10] Those adopting an intermediate position continue to debate whether the classical concept of *ḥayāt ghayr mustaqirrah* provides sufficient legal justification for organ retrieval in carefully defined circumstances.[9,10]

Given this diversity of opinion, culturally and religiously sensitive communication is essential. Clinicians should recognize that disagreements regarding brain death often reflect differing interpretations of Islamic jurisprudence rather than differing commitments to preserving life. Early, transparent discussions with patients and families, together with multidisciplinary collaboration and access to appropriate religious guidance, may help reduce conflict and facilitate ethically appropriate end-of-life care.

BRAIN DEATH AND END-OF-LIFE CARE IN PAKISTAN

Pakistan illustrates how diverse Islamic legal opinions continue to shape end-of-life care in clinical practice.

Although intensive care medicine has advanced considerably, uncertainty regarding the religious and legal status of brain death continues to influence decisions surrounding the determination of death, withdrawal of life-sustaining treatment, and organ donation.[3,4,11]

The Transplantation of Human Organs and Tissues Act (THOTA), 2010 provides a legal framework for deceased organ donation under specified medical and legal conditions.[12] However, legal recognition has not resolved ethical and religious uncertainty. Variability in institutional practice, differing interpretations of Islamic law, and limited public understanding continue to shape end-of-life decision-making.[3,4]

These challenges underscore the importance of clear communication among clinicians, patients, families, and, where appropriate, religious scholars. Continued collaboration between healthcare professionals, Islamic jurists, and policymakers will be essential to developing consistent guidance that reflects both advances in critical care medicine and the principles of Islamic bioethics.[2]

CONCLUSION


Brain death remains one of the most challenging questions at the intersection of critical care medicine and Islamic jurisprudence. Although Muslim scholars differ on whether neurological criteria constitute legal death, this disagreement reflects differing interpretations of classical Islamic legal principles rather than disagreement over the sanctity of human life. Understanding this distinction is essential to appreciating the diversity of contemporary Islamic perspectives on end-of-life care.

These differing juristic interpretations have important implications for clinical practice, influencing decisions regarding withdrawal of life-sustaining treatment, organ donation, and communication with patients and families. As medical technologies continue to evolve, continued dialogue among clinicians, biomedical ethicists, and Islamic jurists will remain essential to ensuring that end-of-life care is informed by both advances in medical science and the enduring principles of Islamic jurisprudence.

REFERENCES

1. Crang C, Muncey T. Quality of life in palliative care: being at ease in the here and now. Int J Palliat Nurs. 2008;14(2):90-97.
2. Sachedina A. End-of-life: The Islamic view. Lancet. 2005;366(9487):774–779. doi:10.1016/S0140-6736(05)67183-8.
3. Wasay M, Mujtaba SB, Sheerani M, Barech S, Jooma R. A review of brain death protocols across the globe and need for brain death guideline for Pakistan. Pak J Neurol Sci. 2020;15(2):38–47.
4. Miller AC, Ziad-Miller A, Elamin EM. Brain death and Islam: The interface of religion, culture, history, law, and modern medicine. Chest. 2014;146(4):1092–1101. doi:10.1378/chest.14-0130.
5. Garmany A, Yamada S, Terzic A. Longevity leap: Mind the healthspan gap. NPJ Regen Med. 2021;6:57.
6. Garmany A, Terzic A. Global Health Span-Lifespan Gaps Among 183 World Health Organization Member States. JAMA Netw Open. 2024;7(12): e2450241. doi:10.1001/jamanetworkopen.2024.50241
7. Padela AI, Arozullah A, Moosa E. Brain death in Islamic ethico-legal deliberation: Challenges for applied Islamic bioethics. Bioethics. 2013;27(3):132–139. doi:10.1111/j.1467-8519.2011.01935.x.
8. Padela AI, Shanawani H, Arozullah A. Medical experts and Islamic scholars deliberating over brain death: Gaps in the applied Islamic bioethics discourse. Muslim World. 2011;101(1):53–72. doi:10.1111/j.1478-1913.2010.01342.x.
9. Rashid R. An Islamic bioethical framework for withholding and withdrawing life-sustaining treatment. In: Ghaly M, editor. End-of-Life Care, Dying and Death in the Islamic Moral Tradition. Leiden: Brill; 2023. p. 282–329.
10. Rashid R. Brain death and end of life care. In: Malik SA, editor. The Palgrave Encyclopedia of Islam and Science. Cham: Palgrave Macmillan; 2025. doi:10.1007/978-3-031-51446-3_37-1.
11. International Islamic Fiqh Academy (Organization of Islamic Cooperation). Resolution No. 17 (5/3): Life-support equipment. Third Session; 11–16 October 1986; Amman, Jordan. Available at https://iifa-aifi.org/en/32257.html.[Accessed on June 11, 2026]
12. Government of Pakistan. The Transplantation of Human Organs and Tissues Act, 2010 (Act No. VI of 2010). Islamabad: Government of Pakistan; 2010. Available from: Pakistan Code. [Accessed on June 11, 2026].

Conflict of interest: Authors declare no conflict of interest.
Funding disclosure: Nil



This is an Open Access article distributed under the terms of the Creative Commons Attribution-Non Commercial 2.0 Generic License.