Pakistan Journal of Neurological Sciences (PJNS)

Volume 21 | Issue 1 Article 1

6-2026

Anatomical Localization In The Age Of Investigations: The Skill That Still Defines A Neurologist

Wajid Jawaid
,Hamad Medical Corporation, Doha, Qatar

Follow this and additional works at: https://ecommons.aku.edu/pjns

 Part of the Neurology Commons

Recommended Citation

Jawaid, Wajid (2026) "Anatomical Localization In The Age Of Investigations: The Skill That Still Defines A Neurologist," *Pakistan Journal of Neurological Sciences (PJNS)*: Vol. 21: Iss. 1, Article 1.
Available at: https://ecommons.aku.edu/pjns/vol21/iss1/1

https://doi.org/10.56310/pjns.v21i01.479

ANATOMICAL LOCALIZATION IN THE AGE OF INVESTIGATIONS: THE SKILL THAT STILL DEFINES A NEUROLOGIST

Wajid Jawaid[1]
[1.] *Department of Neurosciences, Hamad Medical Corporation, Doha, Qatar*

Correspondence: ***Wajid Jawaid*** *Department of Neurosciences, Hamad Medical Corporation, Doha, Qatar* ***Email:*** *wajid.jawaid@outlook.com*

Neurology has always been different from most medical specialities for one simple reason: it begins with anatomical localization. Before labels, before tests, and before reports, the neurologist asks where the lesion is likely to be. That question is not an academic ritual. That is the step that turns diagnosis into a deduction. When localization comes first, investigations are focused and meaningful. When it does not, testing becomes broad, expensive, and often misleading.[1]

Diagnostic technology has advanced neurological care enormously. Imaging, electrophysiology, antibody panels, genetic tests, and digital monitoring tools have expanded what can be detected and how quickly it can be confirmed.[2,3] There is no virtue in resisting these tools. The concern is not technological progress but diagnostic sequence. Increasingly, investigations are being used as entry points rather than confirmation tools. The pattern is disturbingly becoming familiar: test early, interpret later, reason afterward. It feels efficient. Is it though?

Localization is what prevents blind investigation. A structured history and examination generate an anatomical hypothesis. That hypothesis narrows the field and defines which tests are relevant and, as importantly, which are not. Without that anchor, clinicians are at risk to cast wider nets of multiple scans, broad panels, and parallel testing. Incidental findings accumulate, with the counterproductive consequence of diagnostic distraction.[4]

These consequences are visible in clinical practice. Patients with clear clinical features of peripheral neuropathy are sometimes found to have coincidental lumbar disc disease on imaging and proceed toward spine surgery. That is not because the scan is wrong, but the attribution is. The lesion was never localized correctly at the bedside. Similar errors occur when nonspecific laboratory abnormalities or low-probability antibody results are treated as causal without anatomical fit. When localization is weak, coincidence becomes “diagnosis”.[5]

Moreover, tests are not uniformly decisive. Early disease may produce normal imaging. Immune and metabolic disorders may show delayed or subtle changes. Electrophysiology and biomarkers have sensitivity limits. When clinicians depend on tests before forming anatomical judgments, uncertainty expands whenever results are inconclusive.[6] Those trained to localize first are more stable in uncertainty because they are reasoning from structure, not waiting for rescue from reports.

The remedy is neither difficult nor nostalgic. It is rooted in organizing the structure of clinical teaching. The trainees must be taught to localize first and then proceed to differential diagnoses. Formal lectures focusing only on anatomical localization are likely to help. Case teaching should require anatomical commitment before investigations are revealed. Assessments should score reasoning steps, not only final diagnoses. Rewarding those who think critically and systematically is how teaching should move forward. These are small teaching choices with large downstream effects.[7]

Technology can support this approach rather than compete with it. Simulation cases, interactive neuroanatomy tools, and structured diagnostic frameworks can make localization more teachable and more engaging than before. Modern tools should accelerate reasoning, not replace it.[8]


Clinical localization should remain the first diagnostic move in neurology, not a decorative step added after investigations are complete. Diagnostic tests answer questions, but they do not ask them. That responsibility belongs to the clinician.

Teaching investigations before localization is like teaching garnishing without first teaching how to cook.

REFERENCES

1. Samuels MA, Ropper AH. Localization in clinical neurology. J R Soc Med. 2006;99(5):219-20. doi: https://doi.org/10.1177/014107680609900507
2. Aljahdali S, Azim G, Zabani W, Bafaraj S, Alyami J, Abduljabbar A. Effectiveness of radiology modalities in diagnosing and characterizing brain disorders. Neurosciences (Riyadh). 2024;29(1):37-43. doi: https://doi.org/10.17712/nsj.2024.1.20230048
3. Granziera C, Woelfle T, Kappos L. Development and implementation of new diagnostic technologies in neurology. Nat Rev Neurol. 2022;18(8):445-46. doi: https://doi.org/10.1038/s41582-022-00692-z
4. Nicholl DJ, Appleton JP. Clinical neurology: why this still matters in the 21st century. J Neurol Neurosurg Psychiatry. 2015;86(2):229-33.
5. Moglia T, Falkenstein C, Rieker F, Tun N, Rajaram-Gilkes M. Anatomical Ignorance Resulting in Iatrogenic Causes of Human Morbidity. Cureus. 2024;16(3):e56480. doi: https://doi.org/10.7759/cureus.56480
6. Ismail AA. When laboratory tests can mislead even when they appear plausible. Clin Med (Lond). 2017;17(4):329-32. doi: https://doi.org/10.7861/clinmedicine.17-4-329
7. Araújo B, Gomes SF, Ribeiro L. Critical thinking pedagogical practices in medical education: a systematic review. Front Med (Lausanne). 2024;11:1358444. doi: https://doi.org/10.3389/fmed.2024.1358444
8. Mawyin-Muñoz CE, Salmerón-Escobar FJ, Hidalgo-Acosta JA, Calderon-León MF. Medical simulation: an essential tool for training, diagnosis, and treatment in the 21st century. BMC Med Educ. 2025;25(1):1019. doi: https://doi.org/10.1186/s12909-025-07610-z

Conflict of interest: Author declares no conflict of interest.
Funding disclosure: Nil



This is an Open Access article distributed under the terms of the Creative Commons Attribution-Non Commercial 2.0 Generic License.